



## **Volunteer Activity Risk Assessment Matrix**

A volunteer activity risk assessment matrix for volunteering activities can include the following considerations (See <u>Table 1</u> for an illustration):

Nature of volunteer activity;

Location of volunteer activity; Number of volunteers and beneficiaries involved (small or large groups);

Level of interaction with beneficiaries and among volunteers (e.g. physical distance, minimal or face-to-face sustained contact); and

Type of beneficiaries (vulnerable<sup>1</sup> or non-vulnerable groups).

**Table 1: Volunteer Activity Risk Assessment Matrix** 

| Criteria   | Risk Level   |  |  |  |
|--|--|--|--|--|
|  | Low  | Moderate   | High   |  |
| a. Nature of volunteer activity                                | Backend (i.e. no direct interaction with community/beneficiaries or items for their consumption/use) | Front – facing (i.e. direct interaction with community/beneficiaries or items for their consumption/use) |  |  |
| b. Location of volunteer activity                              | Open-air   | Well<br>ventilated   | Enclosed   |  |
| c. Number of<br>volunteers<br>and service<br>users<br>involved | Small-sized groups (i.e. 5 less)   | persons or   | Large-size<br>groups<br>(i.e. 6<br>persons or<br>more)         |  |
| d. Level of interaction between volunteers and service users   | No contact   | Face-to-<br>face<br>contact up<br>to 15 mins   | Face-to-<br>face<br>sustained<br>contact,<br>beyond 15<br>mins |  |
| e. Type of service users                                       | Non-vulnerable groups  | Vulnerable groups  |  |  |

See Table 2 for a list of volunteering activities and proposed continuity plan.

<sup>1</sup> For example, frail elderly, who may be more severely impacted if affected by COVID-19.



Table 2: List of volunteering activities and proposed continuity plan

| Category   | Volunteer Activity   | Risk<br>Level | Response<br>Measure  |
|--|--|---------------|--|
| Helping<br>neighbour<br>s                          | Neighbourliness efforts such as<br>the purchase of food items or<br>grocery for neighbours in need<br>Checking in on vulnerable<br>neighbours and those living in<br>the same block  | Low           | Proceed, up<br>to any five<br>persons  |
| Advocacy<br>and<br>fundraisin<br>g                 | Highlight community needs Rally community support Get people involved in volunteering Call for donations   | Low           | Proceed, up<br>to any five<br>persons  |
| Telephoni<br>c support                             | Befriending vulnerable groups through phone check-ins Outreach on personal hygiene, phone usage, etc.  | Low           |  |
| Backend<br>support                                 | Packing of food, essential or care packages for vulnerable groups  | Moder<br>ate  | Inform NCSS for essential aid distribution; refer to sector guidelines by relevant authorities |
| Home visits, distributio n and outreach activities | Distribution of daily essential items, meals or care packages (drop off with no interaction) Medical escorts such as accompanying unwell service users to the clinics/hospital [on needs basis only] Home visits and befriending [high needs or critical cases only] | Moder<br>ate  |  |
| Large<br>Group<br>Communa<br>I Activities<br>and   | Organised excursions, outings and participation in external events for vulnerable groups Large group communal activities and mass gatherings in Homes/ Centres involving   | High          | Suspend as activity is considered as non-essential and high risk                               |



| External<br>Events | large groups of external participants/ volunteers External gatherings and events |  |
|--------------------|--|--|
|                    | involving vulnerable groups and  |  |
|                    | external participants /  |  |
|                    | volunteers regardless of size  |  |